

KP-15 COMPLETE LOWER RECEIVER WITH DMR TRIGGER ODG

What makes this lower different than its counterparts? The answer is simple... the KE Arms KP-15 is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. This complete model includes the KE Arms DMR Trigger, with 4.5lbs pull. The KE Arms KP-15 lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Weight: 1.704 lbs. Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE:** If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: KP-15 COMPLETE LOWER RECEIVER WITH DMR TRIGGER ODG
- Manufacturer: KE ARMS
- Product no.: 100042919
- Mfr. No.: 1-61-01-023
- Cartridge: 5.56 mm NATO
- Color: O.D. Green
- Finish: Anodized
- Make: AR-15
- Style: Complete
- Delivery weight: 1.179kg

- Shipping height: 51mm
- Shipping width: 241mm
- Shipping length: 540mm

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den KE Arms KP15 Complete Lower Receiver mit DMR Trigger](#)
- [English: Safety Instruction Guide for KP15 Complete Lower Receiver with DMR Trigger](#)
- [Italiano: KP15 Complete Lower Receiver with DMR Trigger Guida di Sicurezza per i Consumatori](#)

Sicherheitshinweise für den KE Arms KP15 Complete Lower Receiver mit DMR Trigger

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des KE Arms KP15 Complete Lower Receiver mit DMR Trigger. Dieses Produkt wurde entwickelt, um Ihnen eine sichere und effektive Nutzung zu bieten. Bitte lesen Sie diese Sicherheitsanweisungen sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher verwenden und mögliche Gefahren vermeiden.

Allgemeine Sicherheitshinweise

- Verwenden Sie den Lower Receiver nur gemäß den Anweisungen des Herstellers.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern.
- Überprüfen Sie regelmäßig auf Beschädigungen oder Abnutzungen.
- Verwenden Sie das Produkt nicht, wenn es beschädigt ist.
- Melden Sie unsichere Produkte oder Unfälle an die zuständigen Behörden.
- Überprüfen Sie regelmäßig auf Rückrufaktualisierungen auf der EU Safety GatePlattform.

Spezifische Sicherheitsvorkehrungen für die Benutzung

- Tragen Sie immer geeignete Schutzausrüstung (z.B. Schutzbrille, Gehörschutz) während der Nutzung.
- Achten Sie darauf, dass der Lower Receiver nicht mit nicht kompatiblen Oberteilen oder Zubehöerteilen verwendet wird.
- Verwenden Sie nur Standard Carbine Buffers und runde Federn oder den JP SCSS im KP15.
- Beachten Sie, dass dieser Artikel als Receiver klassifiziert ist. Sie müssen 21 Jahre alt sein, um diesen Artikel zu kaufen.
- Der KE Arms KP15 ist nicht empfohlen für .458 SOCOM, .50 Beowulf oder .50 BMG.

Anweisungen für Installation und Nutzung

• Installation:

1. Stellen Sie sicher, dass der Lower Receiver und alle Teile sauber und unbeschädigt sind.
2. Befolgen Sie die Montageanleitung des Herstellers, um den Lower Receiver korrekt zu installieren.
3. Verwenden Sie die empfohlenen Pins und Sicherungen, um eine sichere Montage zu gewährleisten.

• Nutzung:

1. Überprüfen Sie vor jeder Benutzung, ob der Lower Receiver ordnungsgemäß montiert und sicher ist.
2. Führen Sie keine Modifikationen am Lower Receiver durch, die nicht vom Hersteller empfohlen werden.
3. Lagern Sie den Lower Receiver an einem sicheren Ort, wenn er nicht in Gebrauch ist.

Entsorgungsanweisungen

- Entsorgen Sie den Lower Receiver gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Wenn Sie den Lower Receiver nicht mehr benötigen, kontaktieren Sie lokale Entsorgungsstellen, um die richtige Entsorgung zu gewährleisten.

Kontaktinformationen für weitere Unterstützung

Für Unterstützung oder weitere Informationen zu Ihrem KE Arms KP15 Complete Lower Receiver mit DMR Trigger wenden Sie sich bitte an den Hersteller oder Ihren Händler.

Schlussfolgerung

Die Sicherheit und Zufriedenheit der Benutzer hat höchste Priorität. Indem Sie diese Sicherheitsanweisungen befolgen, tragen Sie dazu bei, eine sichere Nutzung des KE Arms KP15 Lower Receivers zu gewährleisten. Vielen Dank, dass Sie sich für KE Arms entschieden haben.

Safety Instruction Guide for KP15 Complete Lower Receiver with DMR Trigger

Introduction

Thank you for choosing the KP15 Complete Lower Receiver with DMR Trigger. This guide provides essential safety instructions to ensure the safe and effective use of your product. It is important to read and understand these guidelines before installation and use.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the KP15 lower receiver by following all instructions provided. This product is classified as a receiver and is subject to specific regulations.
- **Age Requirement:** You must be 21 years old to purchase this item. Ensure compliance with local laws and regulations.
- **Compatibility:** Verify that the KP15 is compatible with your upper receiver and other components. It is designed to work with standard AR15 uppers in various calibers.
- **Hazard Awareness:** Be aware of potential hazards associated with the assembly and use of firearms. Improper handling can lead to serious injury or death.
- **Online Safety:** If purchasing online, ensure that the seller complies with EU safety regulations. Always verify the legitimacy of the platform.

Specific Safety Precautions for Use

- **Use Only Recommended Components:**
 - Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP15.
 - Ensure that you use the recommended KE Arms DMR Trigger for optimal performance.
- **Installation Caution:**
 - Follow all manufacturer assembly guides carefully. Incorrect assembly can lead to malfunctions.
 - Be cautious when handling small parts such as pins and springs; they can be lost easily.
- **Buffer Weight:**
 - Use a minimum buffer weight of 5.4oz to avoid damaging the lower receiver.
- **Avoid Misuse:**
 - The KP15 is not recommended for use with .458 SOCOM, .50 Beowulf, or .50 BMG.
 - Misuse or neglect may void the warranty.
- **Safety Selector:**
 - Use the designated milspec selector or ambi selector to facilitate easier removal and installation.
- **Avoid Overheating During Cerakote:**
 - If applying Cerakote, bake at low temperatures (<190 Degrees F) with an upper in place to prevent warping.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components before starting the installation.
- Ensure you are in a safe and controlled environment.

2. Assembly:

- Follow the manufacturer's assembly guide stepbystep.
- Ensure that the safety selector spring and detent are loaded from the top before sliding the

selector over them.

- Use the recommended KE Arms longer hammer pin for a flush appearance if desired.

3. **Compatibility Check:**

- Confirm that your upper receiver is compatible with the KP15 lower receiver.
- Check that all fire control groups and triggers are compatible.

4. **Final Inspection:**

- After assembly, inspect the lower receiver to ensure all components are securely in place.
- Test the trigger and safety selector to ensure proper function.

5. **Usage:**

- Always handle the firearm safely and responsibly.
- Keep the firearm pointed in a safe direction at all times.
- Use appropriate ammunition as specified for the KP15 lower receiver.

Disposal Instructions

- **Environmental Responsibility:** Dispose of any packaging materials and components in accordance with local regulations.
- **Firearm Disposal:** If you need to dispose of the KP15 lower receiver, consult local laws regarding the disposal of firearms and firearm components.
- **Recycling:** Where possible, recycle materials according to local guidelines.

Contact Information for Further Support

For additional support or inquiries regarding safety or compatibility, please refer to the manufacturer's website or contact their customer service directly. Ensure you have your product details ready for assistance.

By following these safety guidelines, you can ensure a safe and enjoyable experience with your KP15 Complete Lower Receiver with DMR Trigger. Always prioritize safety and compliance with local laws when handling firearms.

KP15 Complete Lower Receiver with DMR Trigger

Guida di Sicurezza per i Consumatori

Introduzione

Grazie per aver scelto il KP15 Complete Lower Receiver con DMR Trigger di KE Arms. Questo prodotto è progettato per offrire prestazioni elevate e sicurezza durante l'uso. È importante seguire le linee guida di sicurezza per garantire un utilizzo corretto e sicuro del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il prodotto solo in conformità con le istruzioni fornite.
- Verifica che il prodotto non presenti danni visibili prima dell'uso.
- Conserva il prodotto in un luogo sicuro, lontano dalla portata dei bambini.
- Segnala eventuali prodotti difettosi o incidenti alle autorità competenti.
- Controlla regolarmente le informazioni sugli aggiornamenti dei richiami sulla piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizza solo buffer e molle da carabina standard o JP SCSS nel KP15.
- Non utilizzare il PDQ lever, poiché è esclusivo del fucile completo WWSD.
- Assicurati di avere almeno 21 anni per acquistare questo articolo e di essere residente nello stesso stato del tuo rivenditore di trasferimento.
- Evita di utilizzare il lower receiver con calibri non raccomandati, come .458 SOCOM, .50 Beowulf o .50 BMG.
- Se intendi cerakotare il tuo KP15, il produttore raccomanda che la cottura venga effettuata a basse temperature (<190 gradi F) per prevenire deformazioni.

Istruzioni per l'Installazione e l'Uso

1. **Assemblaggio:** Segui la guida all'assemblaggio fornita dal produttore per garantire un corretto montaggio del lower receiver.
2. **Controllo del Grilletto:** Assicurati che il grilletto DMR di KE Arms sia installato correttamente e funzioni come previsto.
3. **Verifica del Buffer:** Controlla che il buffer e la molla siano installati correttamente nel lower receiver.
4. **Selettore di Sicurezza:** Installa il selettore di sicurezza in modo che possa essere caricato dall'alto, seguendo le istruzioni del produttore.
5. **Test di Funzionamento:** Prima dell'uso, esegui un test completo per assicurarti che tutte le parti funzionino correttamente.

Istruzioni per lo Smaltimento

- Quando non è più necessario, smaltisci il prodotto in conformità con le normative locali sui rifiuti e sul riciclaggio.
- Non gettare il prodotto nell'ambiente; segui le linee guida locali per il corretto smaltimento dei materiali plastici e metallici.

Informazioni di Contatto per Ulteriori Supporto

Per ulteriori informazioni o per segnalare problemi di sicurezza, ti invitiamo a contattare il tuo rivenditore autorizzato o a visitare il sito web di KE Arms per assistenza.

Seguendo queste linee guida di sicurezza, contribuirai a garantire un utilizzo sicuro e responsabile del KP15 Complete Lower Receiver con DMR Trigger.