

300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR-15 - ONE HORSE 300BLK 16" SOCOM PISTOL BBL COMPLETE UPPER RECEIVER FOR AR15

ONE HORSE 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR-15 Upgrade your rifle with a versatile 16" .300 Blackout complete upper receiver built for reliable performance, modular flexibility, and consistent accuracy. Designed to handle a wide range of shooting applications, this upper performs effectively with both subsonic and supersonic loads. At the core is a 16" .300 Blackout barrel paired with a pistol-length gas system, delivering reliable cycling—especially when running subsonic ammunition or suppressed setups. This configuration enhances function across various loads while maintaining smooth operation. The 15" free-float M-LOK handguard improves barrel stability for increased accuracy while offering ample space for mounting lights, grips, and accessories. Its slim, lightweight design ensures excellent handling without sacrificing durability. A nitride bolt carrier group provides dependable cycling with added corrosion resistance and long service life. Combined with a full-length Picatinny rail, this upper is ready for optics and accessories right out of the box. Fully assembled and compatible with standard mil-spec AR-15 lowers, this upper is designed for quick installation and immediate use.

FEATURES 16" .300 Blackout Barrel – Optimized for both subsonic and supersonic ammunition Pistol-Length Gas System – Reliable function, especially for suppressed and subsonic use 15" M-LOK Free-Float Handguard – Enhanced accuracy with modular accessory mounting Nitride Bolt Carrier Group – Durable, corrosion-resistant, and low maintenance Full-Length Picatinny Rail – Ready for optics and attachments Versatile Performance – Ideal for range, hunting, and suppressed setups Mil-Spec Compatibility – Fits standard AR-15 lower receivers Made in USA – Built with quality materials and craftsmanship

WHAT'S INCLUDED Complete upper receiver assembly 16" .300 Blackout barrel 15" M-LOK free-float handguard Nitride bolt carrier group (BCG) Charging handle Steel barrel nut and mounting hardware

SPECIFICATIONS Caliber: .300 AAC Blackout Barrel Length: 16" Gas System: Pistol-Length Handguard Length: 15" Muzzle Thread: 5/8x24 Rail: Picatinny top rail Compatibility: Mil-Spec AR-15 lowers Country of Origin: USA



Attributes

- Name: ONE HORSE 300BLK 16" SOCOM PISTOL BBL COMPLETE UPPER RECEIVER FOR AR15
- Manufacturer: ONE HORSE
- Product no.: 430118800
- Mfr. No.: OH-CU04
- Cartridge: 300 AAC Blackout
- Colour: Black
- Contour: Socom
- Finish: Matte
- Length: 16"
- Muzzle: 5/8-24
- Style: Complete
- Twist: 1-7
- Weapon type: AR-15
- Delivery weight: 1.814kg

- Shipping height: 254mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 850078799319

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for ONE HORSE 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15](#)
- [Norsk: Bruksanvisning for Sikkerhet](#)

Safety Instruction Guide for ONE HORSE 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15

Introduction

Thank you for choosing the ONE HORSE 300BLK COMPLETE UPPER RECEIVER with SOCOM PISTOL BARREL for AR15. This guide provides essential safety instructions and usage information to ensure the safe operation of your upper receiver. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Always treat this product as if it is loaded. Handle with care at all times.
- Ensure that you are legally permitted to own and operate firearms in your jurisdiction.
- Store the upper receiver and any associated components securely and out of reach of children.
- Inspect the product for any visible damage or defects prior to use.
- Follow all local laws and regulations regarding firearms and ammunition.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use appropriate eye and ear protection while operating the firearm.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or removing the upper receiver.
- Do not attempt to modify or alter the upper receiver or any components.
- Use only compatible ammunition as specified in the product description.
- Maintain a safe distance from others while shooting.
- Be cautious of the muzzle direction at all times.
- Use the firearm only in designated shooting areas or ranges.
- Always keep your finger off the trigger until ready to shoot.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded.
- Remove the existing upper receiver from your AR15 lower receiver according to the manufacturer's instructions.
- Align the ONE HORSE 300BLK COMPLETE UPPER RECEIVER with the lower receiver, ensuring proper fitment.
- Securely attach the upper receiver using the provided steel barrel nut and mounting hardware.
- Check the alignment and ensure that the upper receiver is firmly attached.

2. Usage:

- Load the firearm with compatible .300 AAC Blackout ammunition.
- Ensure that the gas system is functioning properly before shooting.
- Always verify that the firearm is in a safe condition before loading.
- When shooting, maintain control of the firearm and be aware of your target and surroundings.
- After use, ensure that the firearm is unloaded and store it securely.

Disposal Instructions

- Dispose of any unused or expired ammunition according to local regulations.
- When disposing of the upper receiver, consider recycling metal components where applicable.
- Follow local guidelines for the disposal of firearm components and accessories.

Contact Information for Further Support

For any inquiries regarding safety, product features, or technical support, please refer to the manufacturer's website or customer service resources.

By following these guidelines, you can ensure a safe and enjoyable experience with your ONE HORSE 300BLK COMPLETE UPPER RECEIVER. Always prioritize safety and responsible firearm handling.

Guida alle Istruzioni di Sicurezza per il 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15

Introduzione

Benvenuto nella guida alle istruzioni di sicurezza per il 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15. Questo prodotto è progettato per offrire prestazioni elevate nel tiro e nella caccia. È fondamentale seguire queste linee guida di sicurezza per garantire un uso corretto e sicuro del prodotto.

Linee Guida Generali di Sicurezza

- Leggere attentamente tutte le istruzioni e le avvertenze prima dell'uso.
- Tenere il prodotto fuori dalla portata di bambini e minori.
- Utilizzare il prodotto solo in ambienti sicuri e appropriati.
- Indossare sempre dispositivi di protezione personale, come occhiali e protezioni per le orecchie, durante l'uso.
- Non utilizzare il prodotto se presenta segni di danno o usura.
- Seguire tutte le normative locali e nazionali relative all'uso delle armi da fuoco.

Precauzioni di Sicurezza Specifiche per l'Utilizzo

- Assicurarsi che il fucile sia scarico prima di effettuare qualsiasi operazione di montaggio o manutenzione.
- Non puntare mai l'arma verso persone o animali.
- Verificare sempre la compatibilità del prodotto con il lower receiver AR15 prima dell'installazione.
- Non utilizzare munizioni non conformi o non raccomandate.
- Evitare l'uso di accessori non approvati che potrebbero compromettere la sicurezza del fucile.

Istruzioni per l'Installazione e l'Uso

1. Assemblaggio del Upper Receiver

- Posizionare il upper receiver su una superficie piana e sicura.
- Assicurarsi che il lower receiver AR15 sia compatibile e pronto per l'assemblaggio.
- Allineare il upper receiver con il lower receiver e inserire le viti di montaggio fornite.

2. Installazione del Barrel

- Rimuovere eventuali coperture di protezione dal barrel.
- Fissare il barrel da 16" .300 Blackout al upper receiver seguendo le istruzioni specifiche del produttore.
- Assicurarsi che il barrel sia saldamente in posizione e senza gioco.

3. Installazione del Handguard

- Montare il handguard MLOK freefloat da 15" sul upper receiver.
- Verificare che il handguard sia ben fissato e che non ci siano movimenti indesiderati.

4. Controllo Finale

- Controllare che tutte le parti siano correttamente assemblate e sicure.
- Eseguire un controllo visivo per assicurarsi che non ci siano danni o anomalie.

5. **Uso del Fucile**

- Caricare il fucile solo quando si è pronti a tirare.
- Seguire sempre le pratiche di sicurezza durante il tiro, compreso il rispetto della distanza di sicurezza.

Istruzioni per lo Smaltimento

- Smaltire il prodotto in conformità con le normative locali sui rifiuti pericolosi.
- Non gettare il prodotto nell'ambiente; utilizzare strutture di raccolta autorizzate.
- Rimuovere tutte le parti non più utilizzabili e smaltirle in modo responsabile.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni sulla sicurezza del prodotto, è consigliabile contattare il rivenditore o il produttore. Assicurarsi di avere a disposizione il numero di modello e la descrizione del problema per ricevere assistenza adeguata.

Conclusione

Seguire queste linee guida di sicurezza è essenziale per garantire un uso sicuro e responsabile del 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15. La sicurezza deve sempre essere la priorità principale quando si maneggiano armi da fuoco.

Bruksanvisning for Sikkerhet

Introduksjon

Takk for at du valgte ONE HORSE 300BLK COMPLETE UPPER RECEIVER W/SOCOM PISTOL BBL FOR AR15. Denne bruksanvisningen gir viktig informasjon om sikker bruk, installasjon og vedlikehold av produktet. Vennligst les nøye gjennom denne informasjonen for å sikre trygg og effektiv bruk.

Generelle sikkerhetsretningslinjer

- Sørg for at du har tilstrekkelig kunnskap om våpen og skyting før du bruker dette produktet.
- Hold alltid våpenet rettet i en sikker retning og unngå å peke det mot mennesker eller dyr.
- Oppbevar alltid ammunisjon og våpen på en sikker måte, utilgjengelig for barn og uautoriserte personer.
- Bruk alltid passende sikkerhetsutstyr, inkludert øre og øyebeskyttelse, når du skyter.
- Vær oppmerksom på lokale lover og forskrifter angående bruk av skytevåpen.

Spesifikke sikkerhetstiltak for bruk

- Kontroller alltid at våpenet er tomt før du installerer eller fjerner deler.
- Unngå å bruke dette produktet med ammunisjon som ikke er spesifisert av produsenten.
- Ikke modifier eller endre noen deler av produktet uten godkjenning fra en kvalifisert tekniker.
- Sørg for at alle festemidler er korrekt installert og strammet før bruk.
- Vær oppmerksom på at subsonisk ammunisjon kan ha forskjellige egenskaper sammenlignet med supersonisk ammunisjon.

Instruksjoner for installasjon og bruk

1. Forberedelse:

- Sørg for at du har riktig verktøy og utstyr for installasjon.
- Les nøye gjennom alle instruksjoner før du begynner.

2. Installasjon av overdel:

- Fjern den eksisterende overdelen fra AR15riflen.
- Plasser den nye 300BLK COMPLETE UPPER RECEIVER på den nedre mottakeren.
- Fest overdelene med de medfølgende festemidlene. Sørg for at de er strammet ordentlig.

3. Sjekk funksjonalitet:

- Etter installasjon, sjekk at alle bevegelige deler fungerer som de skal.
- Utfør en tørrtrening for å sikre at syklusen fungerer jevnt.

4. Bruk:

- Når du er klar til å skyte, sørg for at området er klart og at det er trygt.
- Følg alltid sikkerhetsprosedyrer under skyting.

Avfallsinstruksjoner

- Avfall og ubrukte deler skal kastes i samsvar med lokale forskrifter for farlig avfall.
- Sørg for at alle deler er utilgjengelige for barn og kjæledyr.

Kontaktinformasjon for videre støtte

For spørsmål eller bekymringer angående sikkerhet eller bruk av produktet, vennligst kontakt produsenten eller en kvalifisert tekniker for assistanse.

Vi takker for at du tar sikkerheten på alvor, og vi ønsker deg en trygg og fornøylig opplevelse med ditt nye produkt.