

7.62 CAL END CAP FOR SOUND REDUCTION - LMT DEFENSE 7.62 CAL END CAP FOR SOUND REDUCTION BLACK

LMT DEFENSE 7.62 CAL END CAP FOR SOUND REDUCTION The LMT Defense 7.62 Cal End Cap for Sound Reduction is a compact, performance-focused suppressor accessory engineered to maximize sound suppression while maintaining excellent maneuverability and handling characteristics. Designed for use with the LMT ION Suppressor Series and compatible with HUB and Xeno suppressor systems, this end cap features a reduced-length profile that minimizes overall suppressor length without compromising effectiveness. Additional porting works in conjunction with LMT's patented ION Series circumferential venting design, helping optimize gas flow and enhance suppression performance for a quieter shooting experience. Its streamlined design makes it an excellent choice for shooters seeking improved sound reduction while maintaining a compact, lightweight suppressor configuration. Constructed from durable 17-4 stainless steel and protected by a rugged C-192 Armor Black PVD coating, the 7.62 Sound Reduction End Cap is built to withstand harsh operating environments, high round counts, and demanding firing schedules. Extensively tested to rigorous U.S. SOCOM, NATO, and MIL-STD performance standards for durability, reliability, sound suppression, accuracy retention, gas management, flash mitigation, toxicity, and thermal response, it delivers proven performance under the most demanding conditions. Proudly made in the USA, this lightweight end cap enhances the versatility of compatible suppressor systems while providing the durability, consistency, and sound suppression performance expected from LMT Defense products.

FEATURES Reduced length for better maneuverability Additional porting offered through additional cap holes benefitting from patented ION suppressor series circumferential venting design Performance tested under: Full Auto Rating: US SOCOM Table II Stress Test Durability: TOP 3-2-045 & NATO AC225D14 Reliability in Adverse Conditions: MIL-STD-810G, methods 501.5 & 502.5 Sound: MIL-STD-1474, NATO STANAG (AEP-4785 VOL I), TOP 3-2-045 Accuracy: Nato spec dispersion & POI Shift Gas Blowback/Backpressure: NATO STANAG (AEP-4785 VOL III) & Cyclic Rate/Rate of Fire Visual/Infared Flash: TOP 3-2-045 & NATO STANAG AEP-4785 VOL II Toxicity: NATO STANAG AC/225 D/14 Thermal Response: NATO AEP-4785 VOL IV SPECS 100% Made in USA: Yes Compatibility: ION Suppressor Series, HUB & Xeno Suppressors Item Weight (lbs): 0.075 Item Length (in): 1.74" Item Height (in): 0.455" Material: 17-4 Stainless Steel Coating: C-192 Armors Black Treatment: Physical Vapor Disposition Bore Diameter: 0.380"

NO IMAGE
AVAILABLE

Attributes

- Name: LMT DEFENSE 7.62 CAL END CAP FOR SOUND REDUCTION BLACK
- Manufacturer: LMT DEFENSE
- Product no.: 430119998
- Mfr. No.: R-EC762RES
- Finish: Black
- Material: Stainless Steel
- Delivery weight: 0.051kg
- Shipping height: 152mm
- Shipping width: 97mm
- Shipping length: 51mm
- UPC: 850076573065

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for LMT Defense 7.62 Cal End Cap for Sound Reduction](#)
- [Italiano: Guida alla Sicurezza del Prodotto: End Cap LMT Defense 7.62 CAL per Riduzione del Suono](#)

Safety Instruction Guide for LMT Defense 7.62 Cal End Cap for Sound Reduction

Introduction

Thank you for choosing the LMT Defense 7.62 Cal End Cap for Sound Reduction. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide thoroughly before using the end cap to understand its features, safety precautions, and proper usage.

General Safety Guidelines

- Ensure safe use of the product by following these guidelines:
 - Always use the end cap in accordance with the manufacturer's instructions.
 - Regularly inspect the end cap for signs of wear, damage, or corrosion.
 - Store the end cap in a dry, secure location away from children and unauthorized users.
 - Be aware of local laws and regulations regarding the use of suppressor accessories.
- Enhanced Recalls:
 - Stay informed about potential recalls. If you receive a recall notice, follow the instructions provided for returning or replacing the product.
- Online Shopping:
 - When purchasing online, ensure that the seller complies with safety requirements and provides clear product information.
- Special Consumer Focus:
 - Keep the product out of reach of children. This product is not intended for use by individuals under the legal age for handling firearm accessories.
- EU Contact Point:
 - For any safety inquiries, please refer to the specified EU contact point provided with your purchase.
- Rapid Alerts:
 - Monitor the EU Safety Gate platform for updates regarding unsafe products and recalls.

Specific Safety Precautions for Use

- Before using the end cap, ensure that:
 - The end cap is compatible with your suppressor system (ION Suppressor Series, HUB, or Xeno).
 - The suppressor and end cap are securely attached before firing.
 - You are wearing appropriate hearing protection and safety gear.
- Avoid potential hazards by:
 - Not exceeding the recommended round count to prevent overheating.
 - Not modifying the end cap or suppressor in any way.

- Ensuring that the firearm is unloaded when attaching or detaching the end cap.
- Following all safety protocols for handling firearms.

Instructions for Installation and Usage

- To install the LMT Defense 7.62 Cal End Cap:
 1. Ensure the firearm is unloaded and pointed in a safe direction.
 2. Remove the existing end cap from your suppressor, if applicable.
 3. Align the threads of the 7.62 Cal End Cap with the suppressor.
 4. Gently screw the end cap onto the suppressor until it is snug. Do not overtighten.
 5. Verify that the end cap is securely attached before use.
- To use the suppressor with the end cap:
 - Follow all standard operating procedures for your firearm and suppressor system.
 - Regularly check for any signs of wear or damage during use.
 - After use, allow the suppressor and end cap to cool before handling.

Disposal Instructions

- When disposing of the end cap:
 - Follow local regulations regarding the disposal of firearm accessories.
 - Do not dispose of the end cap in regular household waste.
 - Consider recycling options for the materials, if applicable.

Contact Information for Further Support

- For further support or safety inquiries, please refer to the contact information provided with your product purchase.

By adhering to these safety guidelines and instructions, you can ensure a safe and effective experience with the LMT Defense 7.62 Cal End Cap for Sound Reduction. Thank you for your attention to safety.

Guida alla Sicurezza del Prodotto: End Cap LMT Defense 7.62 CAL per Riduzione del Suono

Introduzione

Grazie per aver scelto l'End Cap LMT Defense 7.62 CAL per Riduzione del Suono. Questo prodotto è progettato per migliorare la prestazione e la sicurezza durante l'uso. È importante seguire le linee guida di sicurezza per garantire un utilizzo corretto e sicuro.

Linee Guida Generali di Sicurezza

- Assicurarsi che il prodotto sia utilizzato solo per scopi previsti e in conformità con le istruzioni del produttore.
- Controllare regolarmente il prodotto per eventuali segni di usura o danni.
- Tenere il prodotto lontano dalla portata di bambini e gruppi vulnerabili.
- Segnalare eventuali prodotti non sicuri o incidenti alle autorità competenti.
- Controllare gli aggiornamenti sui richiami sulla piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Indossare sempre protezioni per le orecchie durante l'uso del prodotto per ridurre il rischio di danni all'udito.
- Non utilizzare il prodotto se presenta segni di danno o usura.
- Assicurarsi che il prodotto sia installato correttamente prima di utilizzarlo.
- Non tentare di modificare o riparare il prodotto senza l'assistenza di un professionista qualificato.
- Utilizzare il prodotto solo con i soppressori LMT ION e i sistemi compatibili HUB e Xeno.

Istruzioni per l'Installazione e l'Uso

1. Installazione:

- Assicurarsi che l'arma sia scarica prima di procedere con l'installazione.
- Posizionare l'end cap sull'estremità del soppressore LMT ION.
- Ruotare l'end cap in senso orario fino a quando non è saldamente fissato.
- Verificare che l'end cap sia correttamente installato e non si muova.

2. Uso:

- Utilizzare l'end cap solo in condizioni di tiro controllate e sicure.
- Monitorare la temperatura dell'end cap durante l'uso; evitare un uso prolungato che possa causare surriscaldamento.
- Dopo l'uso, controllare l'end cap per eventuali segni di danno o usura.

Istruzioni per lo Smaltimento

- Smaltire il prodotto in conformità con le normative locali riguardanti i rifiuti di metallo.
- Non abbandonare il prodotto in natura o in luoghi non autorizzati.
- Se il prodotto è danneggiato, contattare un centro di raccolta autorizzato per il corretto smaltimento.

Informazioni di Contatto per Ulteriori Supporto

Per ulteriori informazioni sulla sicurezza e sull'uso del prodotto, si prega di contattare il servizio clienti del

produttore o visitare il sito ufficiale per eventuali aggiornamenti e risorse di sicurezza.