

HUB REGULATOR DIRECT THREAD ADAPTER 5/8X24 - LMT DEFENSE

HUB REGULATOR DIRECT THREAD ADAPTER 5/8X24 BLACK

LMT DEFENSE HUB REGULATOR DIRECT THREAD ADAPTER 5/8X24 The LMT Defense HUB Regulator Direct Thread Adapter 5/8x24 is a durable, precision-machined suppressor mounting solution designed to provide simple and secure direct-thread attachment for HUB-compatible suppressor systems. Featuring 5/8x24 internal and external threading, this adapter allows shooters to utilize industry-standard HUB suppressor compatibility while maintaining a compact and lightweight profile. Its streamlined design incorporates both a 1-inch external wrench flat and an internal 3/4-inch wrench surface, providing multiple installation and removal options when working in confined spaces or on firearms with limited clearance. Engineered for hard-use applications, the adapter is constructed to withstand extreme conditions, including over 790 rounds of continuous full-auto fire, making it suitable for professional, duty, and high-volume shooting environments. Manufactured from premium 17-4 stainless steel and protected by a rugged Black Nitride treatment and C-192 Armor Black coating, the HUB Regulator Direct Thread Adapter offers exceptional corrosion resistance, durability, and long-term reliability. Compatible with the LMT ION Suppressor Series, as well as other HUB and Xeno suppressor systems, it has been tested to stringent military and NATO standards for durability, reliability, sound suppression, accuracy retention, gas management, flash reduction, and thermal performance. Proudly made in the USA, this compact adapter delivers a dependable mounting solution for shooters seeking maximum suppressor compatibility, secure attachment, and mission-ready performance in a lightweight package. FEATURES Direct Thread Insert with 5/8x24 Inside Diameter & 5/8x24 Outside Diameter. Industry standard, HUB suppressor mounting compatibility Compact profile utilizing a 1" outside wrench flat & internal 3/4" wrench surface for multiple mounting options in restrictive environment Material, finish, & coating allow product to handle over 790 rounds of continuous full auto fire Performance tested under: Full Auto Rating: US SOCOM Table II Stress Test Durability: TOP 3-2-045 & NATO AC225D14 Reliability in Adverse Conditions: MIL-STD-810G, methods 501.5 & 502.5 Sound: MIL-STD-1474, NATO STANAG (AEP-4785 VOL I), TOP 3-2-045 Accuracy: Nato spec dispersion & POI Shift Gas Blowback/Backpressure: NATO STANAG (AEP-4785 VOL III) & Cyclic Rate/Rate of Fire Visual/Infared Flash: TOP 3-2-045 & NATO STANAG AEP-4785 VOL II Toxicity: NATO STANAG AC/225 D/14 Thermal Response: NATO AEP-4785 VOL IV SPECS 100% Made in USA: Yes Compatibility: ION Suppressor Series, HUB & Xeno Suppressors Item Weight (lbs): 0.1625 Item Length (in): 1.49" Item Height (in): 0.842" External Thread pitch: 5/8x24 Internal Thread pitch: 5/8x24 Material: 17-4 Stainless Steel Coating: C-192 Armor Black Treatment: Black Nitride

NO IMAGE
AVAILABLE

Attributes

- Name: LMT DEFENSE HUB REGULATOR DIRECT THREAD ADAPTER 5/8X24 BLACK
- Manufacturer: LMT DEFENSE
- Product no.: 430120007
- Mfr. No.: R-RM5824762
- Finish: Black
- Threads: 5/8-24
- Delivery weight: 0.097kg

- Shipping height: 159mm
- Shipping width: 122mm
- Shipping length: 51mm
- UPC: 850076573140

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for HUB Regulator Direct Thread Adapter 5/8x24](#)
- [Italiano: Istruzioni di Sicurezza per l'Utilizzo dell'Adattatore per Filettatura Diretta HUB Regulator 5/8X24](#)

Safety Instruction Guide for HUB Regulator Direct Thread Adapter 5/8x24

Introduction

Thank you for choosing the LMT Defense HUB Regulator Direct Thread Adapter 5/8x24. This product is designed to provide a secure and reliable mounting solution for HUBcompatible suppressor systems. To ensure your safety and the proper functioning of the product, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that you are familiar with all safety instructions before using this product.
- Only use the HUB Regulator Direct Thread Adapter with compatible suppressor systems.
- Regularly inspect the adapter for any signs of wear or damage before each use.
- Follow all local laws and regulations regarding the use of suppressors and firearms.
- Keep the product out of reach of children and unauthorized users.
- In case of any malfunction or unexpected performance, cease use immediately and seek professional assistance.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE) such as hearing protection and eye protection when using firearms equipped with the adapter.
- Ensure that the firearm is unloaded before installing or removing the adapter.
- Do not exceed the recommended number of rounds (over 790 rounds of continuous fullauto fire) to maintain the integrity of the adapter.
- Avoid using the adapter in extreme conditions unless it is necessary for your application.
- Be aware of the potential for gas blowback and backpressure when using the adapter with suppressors.
- Follow the manufacturer's instructions for the specific suppressor being used in conjunction with this adapter.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is unloaded and in a safe condition before installation.
- Gather necessary tools, including a compatible wrench for the installation.

2. Installation:

- Align the adapter's internal threads with the external threads of the suppressor.
- Gently screw the adapter onto the suppressor by turning it clockwise until handtight.
- Use the 1inch external wrench flat or the internal 3/4inch wrench surface to tighten the adapter securely, but do not overtighten.

3. Usage:

- After installation, check for any wobble or looseness in the adapter. If any movement is felt, retighten the adapter.
- When using the firearm, maintain awareness of the suppressor's performance and inspect for any signs of damage or wear after use.
- If the adapter becomes loose during use, stop firing immediately and check the installation.

4. Removal:

- To remove the adapter, ensure the firearm is unloaded and safe.
- Use the wrench to unscrew the adapter counterclockwise from the suppressor.
- Store the adapter in a safe place when not in use.

Disposal Instructions

- Dispose of the HUB Regulator Direct Thread Adapter according to local regulations.
- Do not dispose of the product in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods for metal products.

Contact Information for Further Support

For any questions, concerns, or safety inquiries regarding the HUB Regulator Direct Thread Adapter 5/8x24, please reach out to the appropriate customer service or support channels as indicated in the product packaging or documentation.

Istruzioni di Sicurezza per l'Utilizzo dell'Adattatore per Filettatura Diretta HUB Regulator 5/8X24

Introduzione

Grazie per aver scelto l'Adattatore per Filettatura Diretta HUB Regulator 5/8X24 di LMT Defense. Questo prodotto è progettato per garantire un montaggio sicuro e compatibile con i soppressori HUB. È fondamentale seguire le istruzioni di sicurezza per garantire un utilizzo corretto e sicuro del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il prodotto solo per scopi previsti e seguendo le istruzioni fornite.
- Controlla regolarmente l'adattatore per eventuali segni di usura o danni.
- Evita l'uso del prodotto in condizioni estreme che potrebbero compromettere la sua integrità.
- Tieni il prodotto lontano dalla portata di bambini e animali domestici.
- Segnala immediatamente qualsiasi incidente o prodotto difettoso alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Indossa sempre occhiali protettivi quando utilizzi il prodotto, per proteggere gli occhi da eventuali detriti.
- Assicurati che l'adattatore sia correttamente installato prima di utilizzare il soppressore.
- Non forzare l'adattatore durante l'installazione; utilizza solo gli attrezzi raccomandati.
- Non utilizzare l'adattatore se presenta segni di danni o usura.
- Segui tutte le normative locali e nazionali relative all'uso di soppressori e accessori per armi.

Istruzioni per l'Installazione e l'Uso

1. Preparazione:

- Assicurati che l'arma sia scarica e che non ci siano munizioni nell'area di lavoro.
- Pulisci le filettature dell'arma e del soppressore per garantire un attacco sicuro.

2. Installazione:

- Avvita l'adattatore sull'estremità filettata dell'arma, seguendo il passo di filettatura di 5/8x24.
- Assicurati che l'adattatore sia serrato correttamente, ma senza forzare.
- Collega il soppressore all'adattatore seguendo le istruzioni del produttore del soppressore.

3. Utilizzo:

- Controlla nuovamente che tutto sia installato correttamente prima di procedere all'uso dell'arma.
- Utilizza l'arma in condizioni di sicurezza e in conformità con le leggi locali.

4. Manutenzione:

- Dopo ogni utilizzo, controlla l'adattatore per segni di usura o danni.
- Pulisci l'adattatore e le filettature per garantire una lunga durata.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento di prodotti metallici e accessori per armi.

- Non gettare il prodotto nella spazzatura domestica.
- Contatta un centro di raccolta autorizzato per lo smaltimento sicuro.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni sulla sicurezza del prodotto, segnalazioni di incidenti o domande, contatta il tuo rivenditore o il produttore.

Ricorda che la sicurezza è fondamentale. Utilizzando correttamente l'Adattatore per Filettatura Diretta HUB Regulator 5/8X24, puoi garantire un'esperienza di utilizzo sicura e soddisfacente.